

SUPerBota®



Product Specification Sheet




POUCH MEASUREMENTS (mm):

	mm	Tolerance
Front/back panel width	162mm	±1.0mm
Height	261mm	±1.0mm
Top Gusset Size (Folded):	0mm	±1.0mm
Bottom Gusset Size (Folded)	35mm	±1.0mm
Front/Back Side Seal Width	8mm	±1.0mm

FITMENTS:

	Boat shaped fitment with tamperproof flip cap
	Over shoulder string



MATERIAL SPECIFICATION:

	Material Construction	Overall Gauge	Tolerance
Front Panel	Reverse printed PET/MET PET/LLDPE	180mic	+/- 7%
Back Panel	Reverse printed PET/MET PET/LLDPE	180mic	+/- 7%
Liner	n/a	0mic	+/- 7%
Gussets	GUSEXT (12mic MET PET//20mic PE tie layer//15mic BO Nylon//20mic PE tie layer//135mic LLDPE blown film)	202mic	+/- 10%

PACKING AND TRANSPORT:

Pallet	1200mm x 1000mm 4 side entry
Carton type (H x W x L)	450mm x 450mm x 560mm
Carton Packing Instructions	TBC pouches/carton
Pallet Packing Instructions	16 cartons/pallet

MATERIAL SAFETY AND CONFORMANCE:

Product Safety

- The raw materials used in the construction of this product have been declared safe for food contact applications and complies with the FDA regulation 177.1520 when used unmodified and according to good manufacturing practices for food contact applications.

Critical Applications

- This product cannot be used for holding food during cooking.
- Products with high acidity level should be monitored after packing.
- Excessive moisture to the (external) surface of the material may have a harmful impact to the barrier property of the product.
- For any new application it is recommended to first sample material to determine suitability.

Storage Conditions

- Store in a dry, ventilated area out of direct sunlight and off the floor.
- Ideal storage conditions: 10°C and 25°C.
- Pouches should be used within one year of manufacture.

Note:

Maverick Packaging does not offer any guarantee and does not accept any liability arising out of the use of the information contained herein. It remains the responsibility of the User to ensure the suitability of the product for the particular use intended.